

ZYX Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant ZYX. Catalog # AT4653a

Specification

ZYX Antibody (monoclonal) (M01) - Product Information

WB, IF, IP, E Application **Primary Accession** 015942 BC008743 Other Accession Reactivity Human Host mouse Clonality **Monoclonal** Isotype IgG1 kappa Calculated MW 61277

ZYX Antibody (monoclonal) (M01) - Additional Information

Gene ID 7791

Other Names

Zyxin, Zyxin-2, ZYX

Target/Specificity

ZYX (AAH08743, 1 a.a. \sim 572 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000 IF~~1:50~200 IP~~N/A E~~N/A

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

ZYX Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.

ZYX Antibody (monoclonal) (M01) - Protocols


Provided below are standard protocols that you may find useful for product applications.

• Western Blot




- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


ZYX Antibody (monoclonal) (M01) - Images



Immunofluorescence of monoclonal antibody to ZYX on HeLa cell . [antibody concentration 10 ug/ml]




Immunoprecipitation of ZYX transfected lysate using anti-ZYX monoclonal antibody and Protein A Magnetic Bead (U0007), and immunoblotted with ZYX MaxPab rabbit polyclonal antibody.






Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (88.66 KDa).




Western Blot analysis of ZYX expression in transfected 293T cell line by ZYX monoclonal antibody (M01), clone 2C10-4A7.

Lane 1: ZYX transfected lysate(61.3 KDa).

Lane 2: Non-transfected lysate.



Western blot analysis of ZYX over-expressed 293 cell line, cotransfected with ZYX Validated Chimera RNAi ((Cat # AT4653a)



Detection limit for recombinant GST tagged ZYX is 1 ng/ml as a capture antibody.



ZYX Antibody (monoclonal) (M01) - Background

Focal adhesions are actin-rich structures that enable cells to adhere to the extracellular matrix and at which protein complexes involved in signal transduction assemble. Zyxin is a zinc-binding phosphoprotein that concentrates at focal adhesions and along the actin cytoskeleton. Zyxin has an N-terminal proline-rich domain and three LIM domains in its C-terminal half. The proline-rich domain may interact with SH3 domains of proteins involved in signal transduction pathways while the LIM domains are likely involved in protein-protein binding. Zyxin may function as a messenger in the signal transduction pathway that mediates adhesion-stimulated changes in gene expression and may modulate the cytoskeletal organization of actin bundles. Alternative splicing results in multiple transcript variants that encode the same isoform.

ZYX Antibody (monoclonal) (M01) - References

1.Mechanical forces facilitate actin polymerization at focal adhesions in a zyxin-dependent manner.Hirata H, Tatsumi H, Sokabe M.J Cell Sci. 2008 Sep 1;121(Pt 17):2795-804. Epub 2008 Aug 5.