10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZNF654 Antibody(C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5102

Specification

ZNF654 Antibody(C-term) - Product Information

Application	**WB,E**
Primary Accession	Q8IZM8
Other Accession	NP_060763.2
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**H=66;M=65 KDa**
Isotype	**Rabbit IgG**
Antigen Source	**HUMAN**

ZNF654 Antibody(C-term) - Additional Information

Gene ID 55279

Antigen Region
519-545

Other Names
ZNF654; Zinc finger protein 654; Melanoma-associated antigen

Dilution
WB~~1:1000

Target/Specificity
This ZNF654 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 519-545 amino acids from the C-terminal region of human ZNF654.

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
ZNF654 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF654 Antibody(C-term) - Protein Information

Name ZNF654 (HGNC:25612)

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Function
May be involved in transcriptional regulation.

Cellular Location
Nucleus.

ZNF654 Antibody(C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF654 Antibody(C-term) - Images



Western blot analysis of lysates from mouse testis,mouse spleen,human liver tissue lysate (from left to right), using ZNF654 Antibody (C-term)(Cat. #AW5102). AW5102 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody.

ZNF654 Antibody(C-term) - Background

ZNF654 may be involved in transcriptional regulation (By similarity).