

Zebrafish usp13 Antibody (Center)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5428**Specification**

Zebrafish usp13 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	F1QFS9
Other Accession	Q5BKP2 , Q92995 , E1BY77 , E1BMF7
Reactivity	Zebrafish
Predicted	Human, Mouse, Chicken, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	Z=97; H=97; M=98 KDa
Isotype	Rabbit IgG
Antigen Source	HUMAN

Zebrafish usp13 Antibody (Center) - Additional Information**Gene ID** 558011**Antigen Region**
387-420**Other Names**

Ubiquitin carboxyl-terminal hydrolase 13, Deubiquitinating enzyme 13, Ubiquitin thioesterase 13, Ubiquitin-specific-processing protease 13, usp13

Dilution

WB~~1:1000

Target/Specificity

This Zebrafish usp13 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 387-420 amino acids from the central region of zebrafish usp13.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish usp13 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Zebrafish usp13 Antibody (Center) - Protein Information

Name usp13

Function


Deubiquitinase that mediates deubiquitination of target proteins and is involved in various processes such as autophagy and endoplasmic reticulum-associated degradation (ERAD).

Zebrafish usp13 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zebrafish usp13 Antibody (Center) - Images



All lanes : Anti-usp13 Antibody (Center) at 1:1000 dilution Lane 1: zebrafish muscle lysates Lane 2: zZebrafish lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size : 97 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Zebrafish usp13 Antibody (Center) - Background

Deubiquitinase that mediates deubiquitination of target proteins and is involved in various processes such as autophagy and endoplasmic reticulum-associated degradation (ERAD) (By similarity).

Zebrafish usp13 Antibody (Center) - References

Howe K., et al. Nature 496:498-503(2013).