

Zebrafish fabp10a Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AW5507**Specification**

Zebrafish fabp10a Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	Q9I8L5
Reactivity	Zebrafish
Host	Rabbit
Clonality	Polyclonal
Calculated MW	Z=14 KDa
Isotype	Rabbit IgG
Antigen Source	HUMAN

Zebrafish fabp10a Antibody (N-term) - Additional Information**Gene ID** 171481**Antigen Region**
30-63**Other Names**

Fatty acid-binding protein 10-A, liver basic, Zf-FABP10, Zf-Lb-FABP, Fatty acid-binding protein, liver, Liver bile acid-binding protein, L-BABP, z-L-BABP, Liver-type fatty acid-binding protein, L-FABP, Liver-type FABP, fabp10a, fabp10

Dilution

WB~~1:1000

Target/Specificity

This Zebrafish fabp10a antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 30-63 amino acids from the N-terminal region of zebrafish fabp10a.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish fabp10a Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Zebrafish fabp10a Antibody (N-term) - Protein Information**Name** fabp10a**Synonyms** fabp10

Function

Binds hydrophobic ligands, such as cholate, in the cytoplasm. May be involved in intracellular lipid transport (By similarity). Binds one cholate per subunit.

Cellular Location

Cytoplasm.


Tissue Location

Expressed in the developing embryonic liver from 48 hpf. Also expressed in the liver of 5-day-old larvae. In adults, primarily expressed in the liver, with weak expression in the testis and intestine.

Zebrafish fabp10a Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zebrafish fabp10a Antibody (N-term) - Images

All lanes : Anti-fabp10a Antibody (N-term) at 1:1000 dilution Lane 1: zebrafish muscle lysates Lane 2: zebrafish lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 14 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Zebrafish fabp10a Antibody (N-term) - Background

Binds hydrophobic ligands, such as cholate, in the cytoplasm. May be involved in intracellular lipid transport (By similarity). Binds one cholate per subunit.

Zebrafish fabp10a Antibody (N-term) - References

Denovan-Wright E.M.,et al.Biochim. Biophys. Acta 1492:227-232(2000).
Her G.M.,et al.Dev. Dyn. 227:347-356(2003).
Her G.M.,et al.FEBS Lett. 538:125-133(2003).
Sharma M.K.,et al.FEBS J. 273:3216-3229(2006).
Capaldi S.,et al.J. Biol. Chem. 282:31008-31018(2007).