

Zebrafish neurog1 Antibody (Center) Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # Azb10027b

### Specification

## Zebrafish neurog1 Antibody (Center) - Product Information

Application Primary Accession Reactivity Host Clonality Isotype Antigen Region WB,E <u>O42606</u> Zebrafish Rabbit Polyclonal Rabbit IgG 112-138

### Zebrafish neurog1 Antibody (Center) - Additional Information

#### Gene ID 30239

**Other Names** Neurogenin-1, NGN-1, Neurogenic differentiation factor 3, NeuroD3, Neurogenin-related protein 1, neurog1, neurod3, ngn1, ngr1

**Target/Specificity** This Zebrafish neurog1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 112-138 amino acids from the central region of zebrafish neurog1.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish neurog1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

### Zebrafish neurog1 Antibody (Center) - Protein Information

Name neurog1

Synonyms neurod3, ngn1, ngr1



**Function** Transcriptional regulator. Activates transcription by binding to the E box-containing promoter (By similarity). Mediates neuronal differentiation. Required for the development of Rohon-Beard spinal sensory neurons and dorsal root ganglion neurons, but not for primary motoneurons or autonomic neurons. Required for development of all cranial ganglia but not associated glial cells. Regulates epiphysial neurogenesis, acting partially redundantly with ascl1a and downstream of flh. Required for the development of basal forebrain dopaminergic neurons; involved in the specification of dopaminergic progenitor cells. May be involved in maintaining rhombomere boundaries in the hindbrain.

**Cellular Location** Nucleus.

### **Tissue Location**


Embryonic nervous system. Expressed transiently in neurogenic placodes prior to delamination and formation of cranial ganglia. Expressed early (6-somite stage) in Rohon-Beard spinal sensory neurons and later in neural crest-derived dorsal root ganglion neurons At 24 hours post-fertilization (hpf), expressed in specific regions of the brain and spinal cord. In hindbrain, expressed in presumptive neuroblasts adjacent to the rhombomere boundaries. In basal forebrain, expressed in dopaminergic progenitor cells

# Zebrafish neurog1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

### Zebrafish neurog1 Antibody (Center) - Images



Zebrafish neurog1 Antibody (Center) (Cat. #Azb10027b) western blot analysis in zebrafish brain tissue lysates (35ug/lane). This demonstrates the Zebrafish neurog1 antibody detected the



## zebrafish neurog1 protein (arrow).

## Zebrafish neurog1 Antibody (Center) - Background

Transcriptional regulator. Activates transcription by binding to the E box-containing promoter (By similarity). Mediates neuronal differentiation. Required for the development of Rohon-Beard spinal sensory neurons and dorsal root ganglion neurons, but not for primary motoneurons or autonomic neurons. Required for development of all cranial ganglia but not associated glial cells. Regulates epiphysial neurogenesis, acting partially redundantly with ascl1a and downstream of flh. Required for the development of basal forebrain dopaminergic neurons; involved in the specification of dopaminergic progenitor cells. May be involved in maintaining rhombomere boundaries in the hindbrain.

### Zebrafish neurog1 Antibody (Center) - References

Blader P., et al. Development 124:4557-4569(1997). Kim C.-H., et al. Neurosci. Lett. 239:113-116(1997). Korzh V., et al. Dev. Dyn. 213:92-104(1998). Thisse B., et al. Submitted (MAR-1997) to the EMBL/GenBank/DDBJ databases. Cornell R.A., et al. Development 129:2639-2648(2002).