

Zebrafish chst11 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # Azb10038a

Specification

Zebrafish chst11 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q7T3S3
Reactivity	Zebrafish
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	131-155

Zebrafish chst11 Antibody (Center) - Additional Information

Other Names

Carbohydrate sulfotransferase 11, Chondroitin 4-O-sulfotransferase 1, Chondroitin 4-sulfotransferase 1, C4ST-1, C4ST1, zC4ST-1, chst11

Target/Specificity

This Zebrafish chst11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 131-155 amino acids from the central region of zebrafish chst11.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish chst11 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Zebrafish chst11 Antibody (Center) - Protein Information

Name chst11

Function Catalyzes the transfer of sulfate to position 4 of the N- acetylgalactosamine (GalNAc) residue of chondroitin.

Cellular Location


Golgi apparatus membrane; Single- pass type II membrane protein

Zebrafish chst11 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Zebrafish chst11 Antibody (Center) - Images



Zebrafish chst11 Antibody (Center) (Cat. #Azb10038a) western blot analysis in zebrafish heart tissue lysates (35ug/lane). This demonstrates the Zebrafish chst11 antibody detected the zebrafish chst11 protein (arrow).



All lanes : Anti-Zebrafish chst11 Antibody (Center) at 1:1000 dilution Lane 1: zebrafish muscle lysate Lane 2: zebrafish lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 41 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Zebrafish chst11 Antibody (Center) - Background

Catalyzes the transfer of sulfate to position 4 of the N-acetylgalactosamine (GalNAc) residue of chondroitin (By similarity).

Zebrafish chst11 Antibody (Center) - References

Kobayashi N., et al. Submitted (NOV-2002) to the EMBL/GenBank/DDBJ databases.