

FGF7 Antibody (Center) Blocking peptide Synthetic peptide Catalog # BP10193c

Specification

FGF7 Antibody (Center) Blocking peptide - Product Information

Primary Accession Other Accession

P21781 NP 002000.1

FGF7 Antibody (Center) Blocking peptide - Additional Information

Gene ID 2252

Other Names Fibroblast growth factor 7, FGF-7, Heparin-binding growth factor 7, HBGF-7, Keratinocyte growth factor, FGF7, KGF

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

FGF7 Antibody (Center) Blocking peptide - Protein Information

Name FGF7

Synonyms KGF

Function

Plays an important role in the regulation of embryonic development, cell proliferation and cell differentiation. Required for normal branching morphogenesis. Growth factor active on keratinocytes. Possible major paracrine effector of normal epithelial cell proliferation.

Cellular Location Secreted.

Tissue Location Epithelial cell.

FGF7 Antibody (Center) Blocking peptide - Protocols



Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides

FGF7 Antibody (Center) Blocking peptide - Images

FGF7 Antibody (Center) Blocking peptide - Background

The protein encoded by this gene is a member of thefibroblast growth factor (FGF) family. FGF family members possessbroad mitogenic and cell survival activities, and are involved in avariety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth andinvasion. This protein is a potent epithelial cell-specific growthfactor, whose mitogenic activity is predominantly exhibited inkeratinocytes but not in fibroblasts and endothelial cells. Studiesof mouse and rat homologs of this gene implicated roles inmorphogenesis of epithelium, reepithelialization of wounds, hairdevelopment and early lung organogenesis.

FGF7 Antibody (Center) Blocking peptide - References

Lin, C.B., et al. J. Dermatol. Sci. 59(2):91-97(2010)Bando, M., et al. Immunol. Cell Biol. 88(3):328-333(2010)Wang, X., et al. Biomaterials 31(9):2542-2548(2010)Jugessur, A., et al. PLoS ONE 5 (7), E11493 (2010) :Aguilar, S., et al. PLoS ONE 4 (11), E8013 (2009) :