

WDR92 Antibody (C-term) Blocking peptide
Synthetic peptide
Catalog # BP10303b**Specification**

WDR92 Antibody (C-term) Blocking peptide - Product Information

Primary Accession [O96MX6](#)
Other Accession [NP_612467.1](#)

WDR92 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 116143

Other Names

WD repeat-containing protein 92, WD repeat-containing protein Monad, WDR92

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

WDR92 Antibody (C-term) Blocking peptide - Protein Information

Name DNAAF10 ([HGNC:25176](#))

Synonyms WDR92

Function

Key assembly factor specifically required for the stability of axonemal dynein heavy chains in cytoplasm.

Cellular Location

Dynein axonemal particle {ECO:0000250|UniProtKB:A8J3F6}

Tissue Location

Widely expressed with the highest expression in testis.

WDR92 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

WDR92 Antibody (C-term) Blocking peptide - Images

WDR92 Antibody (C-term) Blocking peptide - Background

The WD40 repeat domain is a common structural module in eukaryotes, and proteins containing WD40 domains have a diverse range of functions, including signal transduction, cell cycle regulation, RNA splicing, and transcription (Saeki et al., 2006[PubMed 16487927]).

WDR92 Antibody (C-term) Blocking peptide - References

Cloutier, P., et al. Methods 48(4):381-386(2009) Han, Z., et al. Mol. Cell 22(1):137-144(2006) Saeki, M., et al. Biochem. Biophys. Res. Commun. 342(2):568-572(2006)