

## ITGA11 Antibody (N-term) Blocking peptide

Synthetic peptide Catalog # BP10393a

### **Specification**

### ITGA11 Antibody (N-term) Blocking peptide - Product Information

Primary Accession <u>Q9UKX5</u>

Other Accession NP\_001004439.1

### ITGA11 Antibody (N-term) Blocking peptide - Additional Information

**Gene ID 22801** 

**Other Names** 

Integrin alpha-11, ITGA11

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### ITGA11 Antibody (N-term) Blocking peptide - Protein Information

#### Name ITGA11

### **Function**

Integrin alpha-11/beta-1 is a receptor for collagen.

### **Cellular Location**

Membrane; Single-pass type I membrane protein.

#### **Tissue Location**

According to PubMed:10464311, highest levels of expression in uterus and heart, intermediate levels in skeletal muscle and intermediate to low levels in pancreas, kidney and placenta According to PubMed:10486209, also found in brain, colon, lung, small intestine, stomach, testis, salivary glands, thyroid glands and prostate. Very low levels in peripheral blood lymphocytes, fetal brain and fetal liver.

# ITGA11 Antibody (N-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.



### • Blocking Peptides

### ITGA11 Antibody (N-term) Blocking peptide - Images

## ITGA11 Antibody (N-term) Blocking peptide - Background

This gene encodes an alpha integrin. Integrins are heterodimeric integral membrane proteins composed of an alpha chainand a beta chain. This protein contains an I domain, is expressed in muscle tissue, dimerizes with beta 1 integrin in vitro, and appears to bind collagen in this form. Therefore, the protein maybe involved in attaching muscle tissue to the extracellular matrix. Alternative transcriptional splice variants have been found for this gene, but their biological validity is not determined.

### ITGA11 Antibody (N-term) Blocking peptide - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :Lu, N., et al. Matrix Biol. 29(3):166-176(2010)Need, A.C., et al. Hum. Mol. Genet. 18(23):4650-4661(2009)Young, R.P., et al. Postgrad Med J 85(1008):515-524(2009)Barczyk, M.M., et al. J. Dent. Res. 88(7):621-626(2009)