

IGSF1 Antibody (C-term) Blocking peptide

Synthetic peptide Catalog # BP10732b

Specification

IGSF1 Antibody (C-term) Blocking peptide - Product Information

Primary Accession

Q8N6C5

IGSF1 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 3547

Other Names

Immunoglobulin superfamily member 1, IgSF1, Immunoglobulin-like domain-containing protein 1, Inhibin-binding protein, InhBP, Pituitary gland-specific factor 2, p120, IGSF1, IGDC1, KIAA0364, PGSF2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

IGSF1 Antibody (C-term) Blocking peptide - Protein Information

Name IGSF1

Synonyms IGDC1, KIAA0364, PGSF2

Function

Seems to be a coreceptor in inhibin signaling, but seems not to be a high-affinity inhibin receptor. Antagonizes activin A signaling in the presence or absence of inhibin B (By similarity). Necessary to mediate a specific antagonistic effect of inhibin B on activin- stimulated transcription.

Cellular Location

[Isoform 1]: Membrane; Multi-pass membrane protein [Isoform 3]: Secreted.

Tissue Location

Highly expressed in pancreas, testis and fetal liver. Moderately expressed in heart, prostate and small intestine Expressed at very low levels in brain, thymus, ovary, colon, fetal lung and fetal kidney. Expressed in muscle. Isoform 3 is expressed in pituitary gland.



IGSF1 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides

IGSF1 Antibody (C-term) Blocking peptide - Images

IGSF1 Antibody (C-term) Blocking peptide - Background

This gene encodes a member of the immunoglobulin-likedomain-containing superfamily. Proteins in this superfamily containvarying numbers of immunoglobulin-like domains and are thought toparticipate in the regulation of interactions between cells. Multiple transcript variants encoding different isoforms have beenfound for this gene.

IGSF1 Antibody (C-term) Blocking peptide - References

Robakis, T., et al. J. Biol. Chem. 283(52):36369-36376(2008)Nakayama, M., et al. Genome Res. 12(11):1773-1784(2002)Tanaka, S., et al. J. Mol. Endocrinol. 28(1):33-44(2002)Gui, Y., et al. J. Clin. Endocrinol. Metab. 86(5):2104-2110(2001)Chapman, S.C., et al. Mol. Endocrinol. 15(4):668-679(2001)