

# SDHD Antibody (N-term) Blocking peptide

Synthetic peptide Catalog # BP12155a

### **Specification**

### SDHD Antibody (N-term) Blocking peptide - Product Information

Primary Accession

# SDHD Antibody (N-term) Blocking peptide - Additional Information

**Gene ID 6392** 

#### **Other Names**

Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial, CybS, CII-4, QPs3, Succinate dehydrogenase complex subunit D, Succinate-ubiquinone oxidoreductase cytochrome b small subunit, Succinate-ubiquinone reductase membrane anchor subunit, SDHD, SDH4

014521

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

# **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### SDHD Antibody (N-term) Blocking peptide - Protein Information

Name SDHD

Synonyms SDH4

#### **Function**

Membrane-anchoring subunit of succinate dehydrogenase (SDH) that is involved in complex II of the mitochondrial electron transport chain and is responsible for transferring electrons from succinate to ubiquinone (coenzyme Q).

#### **Cellular Location**

Mitochondrion inner membrane; Multi-pass membrane protein

# SDHD Antibody (N-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.



• Blocking Peptides

# SDHD Antibody (N-term) Blocking peptide - Images

# SDHD Antibody (N-term) Blocking peptide - Background

Complex II of the respiratory chain, which isspecifically involved in the oxidation of succinate, carrieselectrons from FADH to CoQ. The complex is composed of fournuclear-encoded subunits and is localized in the mitochondrialinner membrane. The subunit D protein is one of two integralmembrane proteins anchoring the complex to the matrix side of themembrane. Mutations in SDHD have been linked to hereditaryparaganglioma.

# SDHD Antibody (N-term) Blocking peptide - References

Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)Gill, A.J., et al. Hum. Pathol. 41(6):805-814(2010)Milosevic, D., et al. Clin. Biochem. 43 (7-8), 700-704 (2010):Hermsen, M.A., et al. Cell. Oncol. 32(4):275-283(2010)Krawczyk, A., et al. Endokrynol Pol 61(1):43-48(2010)