

OR51G2 Antibody (C-term) Blocking peptide
Synthetic peptide
Catalog # BP12363b**Specification**

OR51G2 Antibody (C-term) Blocking peptide - Product Information

Primary Accession [Q8NGK0](#)

OR51G2 Antibody (C-term) Blocking peptide - Additional Information

Gene ID 81282

Other Names

Olfactory receptor 51G2, Olfactory receptor OR11-28, OR51G2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

OR51G2 Antibody (C-term) Blocking peptide - Protein Information

Name OR51G2

Function

Odorant receptor.

Cellular Location

Cell membrane; Multi-pass membrane protein.

OR51G2 Antibody (C-term) Blocking peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

OR51G2 Antibody (C-term) Blocking peptide - Images**OR51G2 Antibody (C-term) Blocking peptide - Background**

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of

G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

OR51G2 Antibody (C-term) Blocking peptide - References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004) Gilad, Y., et al. Am. J. Hum. Genet. 73(3):489-501(2003)