

MAGEE2 Antibody (C-term) Blocking Peptide
Synthetic peptide
Catalog # BP13175b**Specification**

MAGEE2 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession [Q8TD90](#)

MAGEE2 Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 139599

Other Names

Melanoma-associated antigen E2, Hepatocellular carcinoma-associated protein 3, MAGE-E2 antigen, MAGEE2, HCA3

Target/Specificity

The synthetic peptide sequence used to generate the antibody AP13175b was selected from the C-term region of MAGEE2. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

MAGEE2 Antibody (C-term) Blocking Peptide - Protein Information

Name MAGEE2

Synonyms HCA3

MAGEE2 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

MAGEE2 Antibody (C-term) Blocking Peptide - Images

MAGEE2 Antibody (C-term) Blocking Peptide - Background

The specific function of this protein remains unknown.

MAGEE2 Antibody (C-term) Blocking Peptide - References

Ross, M.T., et al. Nature 434(7031):325-337(2005)Chomez, P., et al. Cancer Res.
61(14):5544-5551(2001)