

**FA83G Antibody (C-term) Blocking peptide**  
**Synthetic peptide**  
**Catalog # BP13879b****Specification**

---

**FA83G Antibody (C-term) Blocking peptide - Product Information**Primary Accession [A6ND36](#)**FA83G Antibody (C-term) Blocking peptide - Additional Information****Gene ID** 644815**Other Names**Protein FAM83G, Protein associated with SMAD1, FAM83G, PAWS1  
{ECO:0000303|PubMed:24554596}**Target/Specificity**

The synthetic peptide sequence used to generate the antibody AP13879b was selected from the C-term region of FA83G. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**FA83G Antibody (C-term) Blocking peptide - Protein Information****Name** FAM83G**Synonyms** PAWS1 {ECO:0000303|PubMed:24554596}**Function**

Substrate for type I BMP receptor kinase involved in regulation of some target genes of the BMP signaling pathway. Also regulates the expression of several non-BMP target genes, suggesting a role in other signaling pathways.

**Cellular Location**

Cytoplasm, cytosol. Nucleus. Note=Detected predominantly in the cytosol. Upon BMP stimulation, a small portion localizes the nucleus.

**FA83G Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

**FA83G Antibody (C-term) Blocking peptide - Images****FA83G Antibody (C-term) Blocking peptide - References**

Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) :Beausoleil, S.A., et al. Nat. Biotechnol. 24(10):1285-1292(2006)Zody, M.C., et al. Nature 440(7087):1045-1049(2006)