

# RFXAP Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP14506b

### **Specification**

# RFXAP Antibody (C-term) Blocking Peptide - Product Information

**Primary Accession** 

000287

# RFXAP Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 5994** 

#### **Other Names**

Regulatory factor X-associated protein, RFX-associated protein, RFX DNA-binding complex 36 kDa subunit, RFXAP

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### RFXAP Antibody (C-term) Blocking Peptide - Protein Information

Name RFXAP

#### **Function**

Part of the RFX complex that binds to the X-box of MHC II promoters.

# **Cellular Location**

Nucleus.

## **Tissue Location**

Ubiquitous.

# RFXAP Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### • Blocking Peptides

# RFXAP Antibody (C-term) Blocking Peptide - Images



### RFXAP Antibody (C-term) Blocking Peptide - Background

Major histocompatibility (MHC) class II molecules aretransmembrane proteins that have a central role in development and control of the immune system. The protein encoded by this gene, along with regulatory factor X-associated ankyrin-containing protein and regulatory factor-5, forms a complex that binds to the X box motif of certain MHC class II gene promoters and activates their transcription. Once bound to the promoter, this complex associates with the non-DNA-binding factor MHC class II transactivator, which controls the cell type specificity and inducibility of MHC class II gene expression. Mutations in this gene have been linked to bare lymphocyte syndrome type II, complementation group D. Transcript variants utilizing different polyA signals have been found for this gene.

### RFXAP Antibody (C-term) Blocking Peptide - References

Laird, K.M., et al. J. Mol. Biol. 403(1):40-51(2010)Bushway, M., et al. Immunogenetics 62(2):109-116(2010)Briggs, L., et al. Proteins 76(3):655-664(2009)Garvie, C.W., et al. Biochim. Biophys. Acta 1779(12):797-804(2008)van Eggermond, M.C., et al. Mol. Immunol. 45(10):2920-2928(2008)