

# PRPF6 Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP16097b

### **Specification**

# PRPF6 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession

094906

## PRPF6 Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 24148** 

#### **Other Names**

Pre-mRNA-processing factor 6, Androgen receptor N-terminal domain-transactivating protein 1, ANT-1, PRP6 homolog, U5 snRNP-associated 102 kDa protein, U5-102 kDa protein, PRPF6, C20orf14

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## PRPF6 Antibody (C-term) Blocking Peptide - Protein Information

Name PRPF6

Synonyms C20orf14

### **Function**

Involved in pre-mRNA splicing as component of the U4/U6-U5 tri-snRNP complex, one of the building blocks of the spliceosome (PubMed:<a href="http://www.uniprot.org/citations/28781166" target="\_blank">28781166</a>, PubMed:<a href="http://www.uniprot.org/citations/21549338" target="\_blank">21549338</a>). Enhances dihydrotestosterone- induced transactivation activity of AR, as well as dexamethasone- induced transactivation activity of NR3C1, but does not affect estrogen-induced transactivation.

## **Cellular Location**

Nucleus, nucleoplasm. Nucleus speckle. Note=Localized in splicing speckles.

## **Tissue Location**

Widely expressed..



Tel: 858.875.1900 Fax: 858.875.1999

### PRPF6 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

### • Blocking Peptides

PRPF6 Antibody (C-term) Blocking Peptide - Images

### PRPF6 Antibody (C-term) Blocking Peptide - Background

PRPF6 is involved in pre-mRNA splicing. May act in the tri-snRNP complex as a bridging factor between U5 and U4/U6 snRNPs in the late step of spliceosome assembly. May be necessary for tri-snRNP formation.

## PRPF6 Antibody (C-term) Blocking Peptide - References

Davila, S., et al. Genes Immun. 11(3):232-238(2010)Schneider, M., et al. Nat. Struct. Mol. Biol. 17(2):216-221(2010)Su, L., et al. J. Huazhong Univ. Sci. Technol. Med. Sci. 28(1):97-101(2008)Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007): Fan, S., et al. Biochem. Biophys. Res. Commun. 341(1):192-201(2006)