

KIF18A Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP16406b

Specification

KIF18A Antibody (C-term) Blocking Peptide - Product Information

Primary Accession

<u>Q8NI77</u>

KIF18A Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 81930

Other Names Kinesin-like protein KIF18A, Marrow stromal KIF18A, MS-KIF18A, KIF18A

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

KIF18A Antibody (C-term) Blocking Peptide - Protein Information

Name KIF18A

Function

Microtubule-depolymerizing kinesin which plays a role in chromosome congression by reducing the amplitude of preanaphase oscillations and slowing poleward movement during anaphase, thus suppressing chromosome movements. May stabilize the CENPE-BUB1B complex at the kinetochores during early mitosis and maintains CENPE levels at kinetochores during chromosome congression.

Cellular Location Cell projection, ruffle. Cytoplasm. Nucleus. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome

KIF18A Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

<u>Blocking Peptides</u>

KIF18A Antibody (C-term) Blocking Peptide - Images



KIF18A Antibody (C-term) Blocking Peptide - Background

KIF18A is a member of the kinesin superfamily ofmicrotubule-associated molecular motors (see MIM 148760) that usehydrolysis of ATP to produce force and movement along microtubules(Luboshits and Benayahu, 2005 [PubMed 15878648]).[supplied byOMIM].

KIF18A Antibody (C-term) Blocking Peptide - References

Zhang, C., et al. Carcinogenesis 31(9):1676-1684(2010)Du, Y., et al. Curr. Biol. 20(4):374-380(2010)Huang, Y., et al. Cell Cycle 8(16):2643-2649(2009)Zusev, M., et al. J. Cell. Physiol. 217(3):618-625(2008)Stumpff, J., et al. Dev. Cell 14(2):252-262(2008)