

# TMEM120B Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP16628b

# **Specification**

# TMEM120B Antibody (C-term) Blocking Peptide - Product Information

**Primary Accession** 

**A0PK00** 

# TMEM120B Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 144404** 

#### **Other Names**

Transmembrane protein 120B, TMEM120B

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

# **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### TMEM120B Antibody (C-term) Blocking Peptide - Protein Information

Name TMEM120B (HGNC:32008)

#### **Function**

Necessary for efficient adipogenesis. Does not show ion channel activity.

#### **Cellular Location**

Nucleus inner membrane {ECO:0000250|UniProtKB:Q3TA38}; Multi-pass membrane protein

# TMEM120B Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

#### Blocking Peptides

TMEM120B Antibody (C-term) Blocking Peptide - Images

# TMEM120B Antibody (C-term) Blocking Peptide - Background

TMEM120B (Transmembrane protein 120B) is a 339 amino acid multi-pass membrane protein that is encoded by a gene that maps to human chromosome 12. Encoding over 1,100 genes within 132





Tel: 858.875.1900 Fax: 858.875.1999

million bases, chromosome 12 makes up about 4.5% of the human genome. A number of skeletal deformities are linked to chromosome 12 including hypochondrogenesis, achondrogenesis and Kniest dysplasia. Noonan syndrome, which includes heart and facial developmental defects among the primary symptoms, is caused by a mutant form of PTPN11 gene product, SH-PTP2. Chromosome 12 is also home to a homeobox gene cluster which encodes crucial transcription factors for morphogenesis, and the natural killer complex gene cluster encoding C-type lectin proteins which mediate the NK cell response to MHC I interaction. Trisomy 12p leads to facial development defects, seizure disorders and a host of other symptoms varying in severity depending on the extent of mosaicism and is most severe in cases of complete trisomy.

# TMEM120B Antibody (C-term) Blocking Peptide - References

Rose, J. Phd, et al. Mol. Med. (2010) In press: Trynka, G., et al. Gut 58(8):1078-1083(2009)