

CLCN2 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP16730a

Specification

CLCN2 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

<u>P51788</u>

CLCN2 Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 1181

Other Names Chloride channel protein 2, CIC-2, CLCN2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions This product is for research use only. Not for use in diagnostic or therapeutic procedures.

CLCN2 Antibody (N-term) Blocking Peptide - Protein Information

Name CLCN2

Function

Voltage-gated chloride channel. Chloride channels have several functions including the regulation of cell volume, membrane potential stabilization, signal transduction and transepithelial transport. Involved in the regulation of aldosterone production. The opening of CLCN2 channels at hyperpolarized membrane potentials in the glomerulosa causes cell membrane depolarization, activation of voltage- gated Ca2+ channels and increased expression of aldosterone synthase, the rate-limiting enzyme for aldosterone biosynthesis (PubMed:29403011, PubMed:29403011, PubMed:29403012).

Cellular Location

Cell membrane; Multi-pass membrane protein

Tissue Location

Ubiquitously expressed. Moderately expressed in aortic and coronary vascular smooth muscle cells and expressed at a low level in aortic endothelial cells. Expressed in the adrenal gland, predominantly in the zona glomerulosa (PubMed:29403011)



CLCN2 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides

CLCN2 Antibody (N-term) Blocking Peptide - Images

CLCN2 Antibody (N-term) Blocking Peptide - Background

The transmembrane protein encoded by this gene is avoltage-gated chloride channel that maintains chloride ionhomeostasis in various cells. Defects in this gene may be a causeof certain epilepsies. Four transcript variants encoding differentisoforms have been found for this gene.

CLCN2 Antibody (N-term) Blocking Peptide - References

Scheper, G.C., et al. Genet Test Mol Biomarkers 14(2):255-257(2010)Cornejo, I., et al. J. Cell. Physiol. 221(3):650-657(2009)Thompson, C.H., et al. J. Biol. Chem. 284(38):26051-26062(2009)Kleefuss-Lie, A., et al. Nat. Genet. 41(9):954-955(2009)Klaus, F., et al. Biochem. Biophys. Res. Commun. 381(3):407-411(2009)