

# KRT3 Antibody (Center) Blocking Peptide

Synthetic peptide Catalog # BP16759c

### **Specification**

## KRT3 Antibody (Center) Blocking Peptide - Product Information

**Primary Accession** 

P12035

## KRT3 Antibody (Center) Blocking Peptide - Additional Information

**Gene ID 3850** 

#### **Other Names**

Keratin, type II cytoskeletal 3, 65 kDa cytokeratin, Cytokeratin-3, CK-3, Keratin-3, K3, Type-II keratin Kb3, KRT3

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

## **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## KRT3 Antibody (Center) Blocking Peptide - Protein Information

Name KRT3

**Tissue Location**Cornea specific.

## KRT3 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

## KRT3 Antibody (Center) Blocking Peptide - Images

# KRT3 Antibody (Center) Blocking Peptide - Background

The protein encoded by this gene is a member of thekeratin gene family. The type II cytokeratins consist of basic orneutral proteins which are arranged in pairs of heterotypic keratinchains coexpressed during differentiation of simple and stratifiedepithelial tissues. This type II cytokeratin is specifically expressed in the corneal epithelium with family member KRT12 and mutations in these





Tel: 858.875.1900 Fax: 858.875.1999

genes have been associated with Meesmann's Corneal Dystrophy. The type II cytokeratins are clustered in aregion of chromosome 12q12-q13.

# KRT3 Antibody (Center) Blocking Peptide - References

Szaflik, J.P., et al. Mol. Vis. 14, 1713-1718 (2008) :Schweizer, J., et al. J. Cell Biol. 174(2):169-174(2006)Chen, Y.T., et al. Cornea 24(8):928-932(2005)Rogers, M.A., et al. J. Invest. Dermatol. 124(3):536-544(2005)Irvine, A.D., et al. Nat. Genet. 16(2):184-187(1997)