

**ICA1 Antibody (N-term) Blocking Peptide**  
**Synthetic peptide**  
**Catalog # BP16802a****Specification**

---

**ICA1 Antibody (N-term) Blocking Peptide - Product Information**Primary Accession [Q05084](#)**ICA1 Antibody (N-term) Blocking Peptide - Additional Information****Gene ID** 3382**Other Names**

Islet cell autoantigen 1, 69 kDa islet cell autoantigen, ICA69, Islet cell autoantigen p69, ICAp69, p69, ICA1

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**ICA1 Antibody (N-term) Blocking Peptide - Protein Information****Name** ICA1**Function**

May play a role in neurotransmitter secretion.

**Cellular Location**

Cytoplasm, cytosol. Golgi apparatus membrane; Peripheral membrane protein. Cytoplasmic vesicle, secretory vesicle membrane; Peripheral membrane protein. Cytoplasmic vesicle, secretory vesicle, synaptic vesicle membrane; Peripheral membrane protein. Note=Predominantly cytosolic. Also exists as a membrane-bound form which has been found associated with synaptic vesicles and also with the Golgi complex and immature secretory granules

**Tissue Location**

Expressed abundantly in pancreas, heart and brain with low levels of expression in lung, kidney, liver and thyroid

**ICA1 Antibody (N-term) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

#### **ICA1 Antibody (N-term) Blocking Peptide - Images**

#### **ICA1 Antibody (N-term) Blocking Peptide - Background**

This gene encodes a protein with an arfaptin homology domain that is found both in the cytosol and as membrane-bound form on the Golgi complex and immature secretory granules. This protein is believed to be an autoantigen in insulin-dependent diabetes mellitus and primary Sjogren's syndrome. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized.

#### **ICA1 Antibody (N-term) Blocking Peptide - References**

Jin, Y., et al. Nat. Genet. 42(7):576-578(2010) Rose, J. Phd, et al. Mol. Med. (2010) In press : Buffa, L., et al. Eur. J. Cell Biol. 87(4):197-209(2008) Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) : Gordon, T.P., et al. Lupus 13(6):483-484(2004)