

### PDE4A Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP17181a

## **Specification**

### PDE4A Antibody (N-term) Blocking Peptide - Product Information

**Primary Accession** 

P27815

# PDE4A Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID 5141** 

#### **Other Names**

cAMP-specific 3', 5'-cyclic phosphodiesterase 4A, DPDE2, PDE46, PDE4A, DPDE2

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### PDE4A Antibody (N-term) Blocking Peptide - Protein Information

# Name PDE4A

#### **Synonyms DPDE2**

#### **Function**

Hydrolyzes the second messenger 3',5'-cyclic AMP (cAMP), which is a key regulator of many important physiological processes.

### **Cellular Location**

[Isoform 1]: Cytoplasm, perinuclear region [Isoform 3]: Cytoplasm, cytosol [Isoform 6]: Cytoplasm, perinuclear region

### **Tissue Location**

[Isoform 1]: Expressed in lymphoid cell subsets including CD8-positive T cells and T-helper 2 cells. Expressed in dendritic cells. [Isoform 6]: Expressed at high levels in the heart and small intestine. It is also found in the brain, kidney, spleen, colon, salivary gland, ovary and peripheral blood lymphocytes

## PDE4A Antibody (N-term) Blocking Peptide - Protocols



Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

# PDE4A Antibody (N-term) Blocking Peptide - Images

# PDE4A Antibody (N-term) Blocking Peptide - Background

Cyclic nucleotides are important second messengers that regulate and mediate a number of cellular responses to extracellular signals, such as hormones, light, and neurotransmitters. Cyclic nucleotide phosphodiesterases (PDEs) regulate the cellular concentrations of cyclic nucleotides and thereby play a role in signal transduction. PDE4A is a class IVcAMP-specific PDE (summary by Milatovich et al., 1994 [PubMed8009369]).

## PDE4A Antibody (N-term) Blocking Peptide - References

Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)Selige, J., et al. J. Cell. Physiol. 223(2):317-326(2010)Bjorgo, E., et al. Mol. Cell. Biol. 30(7):1660-1672(2010)Singh, D., et al. Respir. Res. 11, 26 (2010):Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009)