

# **RBMS1 Antibody (Center) Blocking Peptide**

Synthetic peptide Catalog # BP17208c

## **Specification**

## **RBMS1 Antibody (Center) Blocking Peptide - Product Information**

Primary Accession

P29558

## RBMS1 Antibody (Center) Blocking Peptide - Additional Information

**Gene ID 5937** 

#### **Other Names**

RNA-binding motif, single-stranded-interacting protein 1, Single-stranded DNA-binding protein MSSP-1, Suppressor of CDC2 with RNA-binding motif 2, RBMS1, C2orf12, MSSP, MSSP1, SCR2

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

## **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## RBMS1 Antibody (Center) Blocking Peptide - Protein Information

Name RBMS1

Synonyms C2orf12, MSSP, MSSP1, SCR2

#### **Function**

Single-stranded DNA binding protein that interacts with the region upstream of the MYC gene. Binds specifically to the DNA sequence motif 5'-[AT]CT[AT][AT]T-3'. Probably has a role in DNA replication.

## **Cellular Location**

Nucleus.

#### **Tissue Location**

Highest amounts are found in placenta, lung and heart

# **RBMS1 Antibody (Center) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.



# • Blocking Peptides

## **RBMS1 Antibody (Center) Blocking Peptide - Images**

## **RBMS1 Antibody (Center) Blocking Peptide - Background**

This gene encodes a member of a small family of proteinswhich bind single stranded DNA/RNA. These proteins are characterized by the presence of two sets of ribonucleoprotein consensus sequence (RNP-CS) that contain conserved motifs, RNP1 and RNP2, originally described in RNA binding proteins, and required for DNA binding. These proteins have been implicated in such diverse functions as DNA replication, gene transcription, cellcycle progression and apoptosis. Several transcript variants, resulting from alternative splicing and encoding differentiso forms, have been described. A pseudogene for this locus is found on chromosome 12.

## **RBMS1 Antibody (Center) Blocking Peptide - References**

Qi, L., et al. Hum. Mol. Genet. 19(13):2706-2715(2010)Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010):Landers, J.E., et al. Proc. Natl. Acad. Sci. U.S.A. 106(22):9004-9009(2009)Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)Lamesch, P., et al. Genomics 89(3):307-315(2007)