

DNAJC5 Antibody (Center) Blocking Peptide
Synthetic peptide
Catalog # BP17663c**Specification**

DNAJC5 Antibody (Center) Blocking Peptide - Product InformationPrimary Accession [Q9H3Z4](#)**DNAJC5 Antibody (Center) Blocking Peptide - Additional Information**

Gene ID 80331

Other Names

DnaJ homolog subfamily C member 5, Cysteine string protein, CSP, DNAJC5, CSP

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

DNAJC5 Antibody (Center) Blocking Peptide - Protein InformationName DNAJC5 ([HGNC:16235](#))**Function**

Acts as a general chaperone in regulated exocytosis (By similarity). Acts as a co-chaperone for the SNARE protein SNAP-25 (By similarity). Involved in the calcium-mediated control of a late stage of exocytosis (By similarity). May have an important role in presynaptic function. May be involved in calcium-dependent neurotransmitter release at nerve endings (By similarity).

Cellular Location

Cytoplasm, cytosol {ECO:0000250|UniProtKB:Q29455}. Membrane {ECO:0000250|UniProtKB:Q29455}; Lipid-anchor {ECO:0000250|UniProtKB:Q29455}. Cytoplasmic vesicle, secretory vesicle, chromaffin granule membrane {ECO:0000250|UniProtKB:Q29455}. Melanosome. Cell membrane. Note=The association with membranes is regulated by palmitoylation (By similarity). Identified by mass spectrometry in melanosome fractions from stage I to stage IV (PubMed:17081065). {ECO:0000250|UniProtKB:Q29455, ECO:0000269|PubMed:17081065}

Tissue Location

Expressed in pancreas, kidney, skeletal muscle, liver, lung, placenta, brain and heart.

DNAJC5 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

DNAJC5 Antibody (Center) Blocking Peptide - Images

DNAJC5 Antibody (Center) Blocking Peptide - Background

This gene is a member of the J protein family. J proteins function in many cellular processes by regulating the ATPase activity of 70 kDa heat shock proteins. The encoded protein plays a role in membrane trafficking and protein folding, and has been shown to have anti-neurodegenerative properties. The encoded protein is known to play a role in cystic fibrosis and Huntington's disease. A pseudogene of this gene is located on the short arm of chromosome 8.

DNAJC5 Antibody (Center) Blocking Peptide - References

Johnson, J.N., et al. Biochem. Cell Biol. 88(2):157-165(2010) Schmidt, B.Z., et al. J. Biol. Chem. 284(7):4168-4178(2009) Greaves, J., et al. J. Biol. Chem. 283(36):25014-25026(2008) Park, J., et al. Am. J. Respir. Cell Mol. Biol. 39(1):68-76(2008) Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)