

# TBR1 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP17795a

#### **Specification**

## TBR1 Antibody (N-term) Blocking Peptide - Product Information

**Primary Accession** 

Q16650

## TBR1 Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID 10716** 

#### **Other Names**

T-box brain protein 1, T-brain-1, TBR-1, TES-56, TBR1

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### TBR1 Antibody (N-term) Blocking Peptide - Protein Information

#### Name TBR1

#### **Function**

Transcriptional repressor involved in multiple aspects of cortical development, including neuronal migration, laminar and areal identity, and axonal projection (PubMed:<a href="http://www.uniprot.org/citations/25232744" target="\_blank">25232744</a>, PubMed:<a href="http://www.uniprot.org/citations/30250039" target="blank">30250039</a>). As transcriptional repressor of FEZF2, it blocks the formation of the corticospinal (CS) tract from layer 6 projection neurons, thereby restricting the origin of CS axons specifically to layer 5 neurons (By similarity).

# **Cellular Location**

**Nucleus** 

## **Tissue Location**

Brain.

#### **TBR1 Antibody (N-term) Blocking Peptide - Protocols**



Tel: 858.875.1900 Fax: 858.875.1999

Provided below are standard protocols that you may find useful for product applications.

#### • Blocking Peptides

## TBR1 Antibody (N-term) Blocking Peptide - Images

## TBR1 Antibody (N-term) Blocking Peptide - Background

This gene is a member of a conserved family of genes that share a common DNA-binding domain, the T-box. T-box genes encodetranscription factors involved in the regulation of developmentalprocesses. A similar protein has been disrupted in mice and shownto be critical for early cortical development, and causes loss ofprojection neurons in the olfactory bulbs and olfactory cortex. The C-terminal region this similar protein was found to be necessary and sufficient for association with the guanylate kinase domain of calcium/calmodulin-dependent serine protein kinase. [provided byRefSeq].

#### **TBR1** Antibody (N-term) Blocking Peptide - References

Hillier, L.W., et al. Nature 434(7034):724-731(2005)Stefanovska, A.M., et al. Cancer Res. 61(22):8351-8352(2001)Hsueh, Y.P., et al. Nature 404(6775):298-302(2000)Bulfone, A., et al. Neuron 15(1):63-78(1995)