

RMND5A Antibody (C-term) Blocking Peptide
Synthetic peptide
Catalog # BP17828b**Specification**

RMND5A Antibody (C-term) Blocking Peptide - Product InformationPrimary Accession [Q9H871](#)**RMND5A Antibody (C-term) Blocking Peptide - Additional Information****Gene ID** 64795**Other Names**

Protein RMD5 homolog A, RMND5A

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

RMND5A Antibody (C-term) Blocking Peptide - Protein Information**Name** RMND5A**Function**

Core component of the CTLH E3 ubiquitin-protein ligase complex that selectively accepts ubiquitin from UBE2H and mediates ubiquitination and subsequent proteasomal degradation of the transcription factor HBP1. MAEA and RMND5A are both required for catalytic activity of the CTLH E3 ubiquitin-protein ligase complex (PubMed:29911972). Catalytic activity of the complex is required for normal cell proliferation (PubMed:29911972). The CTLH E3 ubiquitin- protein ligase complex is not required for the degradation of enzymes involved in gluconeogenesis, such as FBP1 (PubMed:29911972).

Cellular Location

Nucleus, nucleoplasm. Cytoplasm

RMND5A Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

RMND5A Antibody (C-term) Blocking Peptide - Images**RMND5A Antibody (C-term) Blocking Peptide - Background**

RMND5A contains one CTLH domain and one LisH domain. There are two isoforms.

RMND5A Antibody (C-term) Blocking Peptide - References

Kobayashi, N., et al. Gene 396(2):236-247(2007)Bowzard, J.B., et al. J. Biol. Chem. 282(24):17568-17580(2007)Lamesch, P., et al. Genomics 89(3):307-315(2007)Colland, F., et al. Genome Res. 14(7):1324-1332(2004)