

# MED9 Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP18376b

### **Specification**

## MED9 Antibody (C-term) Blocking Peptide - Product Information

**Primary Accession** 

**Q9NWA0** 

## MED9 Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 55090** 

#### **Other Names**

Mediator of RNA polymerase II transcription subunit 9, Mediator complex subunit 9, MED9, MED25

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### MED9 Antibody (C-term) Blocking Peptide - Protein Information

Name MED9

**Synonyms MED25** 

#### **Function**

Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene- specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors.

#### **Cellular Location**

Nucleus.

## MED9 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999

### • Blocking Peptides

### MED9 Antibody (C-term) Blocking Peptide - Images

## MED9 Antibody (C-term) Blocking Peptide - Background

The multiprotein Mediator complex is a coactivatorrequired for activation of RNA polymerase II transcription by DNAbound transcription factors. The protein encoded by this gene isthought to be a subunit of the Mediator complex. This gene islocated within the Smith-Magenis syndrome region on chromosome 17.

# MED9 Antibody (C-term) Blocking Peptide - References

Sato, S., et al. Mol. Cell 14(5):685-691(2004)Tomomori-Sato, C., et al. J. Biol. Chem. 279(7):5846-5851(2004)Bi, W., et al. Genome Res. 12(5):713-728(2002)