

SCML1 Antibody (N-term) Blocking Peptide
Synthetic peptide
Catalog # BP18386a**Specification**

SCML1 Antibody (N-term) Blocking Peptide - Product InformationPrimary Accession [Q9UN30](#)**SCML1 Antibody (N-term) Blocking Peptide - Additional Information****Gene ID** 6322**Other Names**

Sex comb on midleg-like protein 1, SCML1

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

SCML1 Antibody (N-term) Blocking Peptide - Protein Information**Name** SCML1**Function**

Putative Polycomb group (PcG) protein. PcG proteins act by forming multiprotein complexes, which are required to maintain the transcriptionally repressive state of homeotic genes throughout development. May be involved in spermatogenesis during sexual maturation (By similarity).

Cellular Location

Nucleus.

Tissue Location

Ubiquitous. Expressed in fetal and adult tissues.

SCML1 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

SCML1 Antibody (N-term) Blocking Peptide - Images

SCML1 Antibody (N-term) Blocking Peptide - Background

Putative Polycomb group (PcG) protein. PcG proteins act by forming multiprotein complexes, which are required to maintain the transcriptionally repressive state of homeotic genes throughout development. May be involved in spermatogenesis during sexual maturation (By similarity).

SCML1 Antibody (N-term) Blocking Peptide - References

Wu, H.H., et al. BMC Evol. Biol. 8, 192 (2008) :Ross, M.T., et al. Nature
434(7031):325-337(2005)van de Vosse, E., et al. Genomics 49(1):96-102(1998)