

FOLR1 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP18815a

Specification

FOLR1 Antibody (N-term) Blocking Peptide - Product Information

Primary Accession

P15328

FOLR1 Antibody (N-term) Blocking Peptide - Additional Information

Gene ID 2348

Other Names

Folate receptor alpha, FR-alpha, Adult folate-binding protein, FBP, Folate receptor 1, Folate receptor, adult, KB cells FBP, Ovarian tumor-associated antigen MOv18, FOLR1, FOLR

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

FOLR1 Antibody (N-term) Blocking Peptide - Protein Information

Name FOLR1

Synonyms FOLR

Function

Binds to folate and reduced folic acid derivatives and mediates delivery of 5-methyltetrahydrofolate and folate analogs into the interior of cells (PubMed:23851396, PubMed:23934049, PubMed:2527252, PubMed:8033114, PubMed:8567728, PubMed:19074442). Has high affinity for folate and folic acid analogs at neutral pH (PubMed:23851396, PubMed:23934049, PubMed:2527252, PubMed:2527252, PubMed:8033114, PubMed:8567728, PubMed:856772





its affinity for folates and mediates their release (PubMed: 8567728). Required for normal embryonic development and normal cell proliferation (By similarity).

Cellular Location

Cell membrane; Lipid-anchor, GPI-anchor Apical cell membrane; Lipid-anchor, GPI- anchor Basolateral cell membrane; Lipid-anchor, GPI-like-anchor. Secreted Cytoplasmic vesicle. Cytoplasmic vesicle, clathrin-coated vesicle. Endosome. Note=Endocytosed into cytoplasmic vesicles and then recycled to the cell membrane

Tissue Location

Primarily expressed in tissues of epithelial origin. Expression is increased in malignant tissues. Expressed in kidney, lung and cerebellum. Detected in placenta and thymus epithelium.

FOLR1 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

Blocking Peptides

FOLR1 Antibody (N-term) Blocking Peptide - Images

FOLR1 Antibody (N-term) Blocking Peptide - Background

The protein encoded by this gene is a member of the folatereceptor family. Members of this gene family bind folic acid andits reduced derivatives, and transport 5-methyltetrahydrofolateinto cells. This gene product is a secreted protein that eitheranchors to membranes via a glycosyl-phosphatidylinositol linkage orexists in a soluble form. Mutations in this gene have beenassociated with neurodegeneration due to cerebral folate transportdeficiency. Due to the presence of two promoters, multipletranscription start sites, and alternative splicing, multipletranscript variants encoding the same protein have been found forthis gene.

FOLR1 Antibody (N-term) Blocking Peptide - References

Sivakumaran, S., et al. J. Steroid Biochem. Mol. Biol. 122(5):333-340(2010)Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)O'Byrne, M.R., et al. Birth Defects Res. Part A Clin. Mol. Teratol. 88(8):689-694(2010) Jugessur, A., et al. PLoS ONE 5 (7), E11493 (2010) : Elwood, P.C., et al. Biochemistry 36(6):1467-1478(1997)