

JUN Antibody (N-term T2) Blocking Peptide
Synthetic peptide
Catalog # BP18902a**Specification**

JUN Antibody (N-term T2) Blocking Peptide - Product InformationPrimary Accession [P05412](#)**JUN Antibody (N-term T2) Blocking Peptide - Additional Information****Gene ID** 3725**Other Names**

Transcription factor AP-1, Activator protein 1, AP1, Proto-oncogene c-Jun, V-jun avian sarcoma virus 17 oncogene homolog, p39, JUN

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

JUN Antibody (N-term T2) Blocking Peptide - Protein Information**Name** JUN**Function**

Transcription factor that recognizes and binds to the AP-1 consensus motif 5'-TGA[GC]TCA-3' (PubMed: [10995748](http://www.uniprot.org/citations/10995748)), PubMed: [22083952](http://www.uniprot.org/citations/22083952)). Heterodimerizes with proteins of the FOS family to form an AP-1 transcription complex, thereby enhancing its DNA binding activity to the AP-1 consensus sequence 5'-TGA[GC]TCA-3' and enhancing its transcriptional activity (By similarity). Together with FOSB, plays a role in activation-induced cell death of T cells by binding to the AP-1 promoter site of FASLG/CD95L, and inducing its transcription in response to activation of the TCR/CD3 signaling pathway (PubMed: [12618758](http://www.uniprot.org/citations/12618758)). Promotes activity of NR5A1 when phosphorylated by HIPK3 leading to increased steroidogenic gene expression upon cAMP signaling pathway stimulation (PubMed: [17210646](http://www.uniprot.org/citations/17210646)). Involved in activated KRAS-mediated transcriptional activation of USP28 in colorectal cancer (CRC) cells (PubMed: [24623306](http://www.uniprot.org/citations/24623306)). Binds to the USP28 promoter in colorectal cancer (CRC) cells (PubMed: [24623306](http://www.uniprot.org/citations/24623306)).

Cellular Location

Nucleus.

Tissue Location

Expressed in the developing and adult prostate and prostate cancer cells.

JUN Antibody (N-term T2) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

JUN Antibody (N-term T2) Blocking Peptide - Images**JUN Antibody (N-term T2) Blocking Peptide - Background**

This gene is the putative transforming gene of aviansarcoma virus 17. It encodes a protein which is highly similar to the viral protein, and which interacts directly with specific target DNA sequences to regulate gene expression. This gene is intronless and is mapped to 1p32-p31, a chromosomal region involved in both translocations and deletions in human malignancies.

JUN Antibody (N-term T2) Blocking Peptide - References

Gonsalves, C., et al. J. Immunol. 185(10):6253-6264(2010) Bozec, A., et al. J. Cell Biol. 190(6):1093-1106(2010) Machida, K., et al. Hepatology 52(2):480-492(2010) Madi, A., et al. BMC Microbiol. 10, 215 (2010) :Johnatty, S.E., et al. PLoS Genet. 6 (7), E1001016 (2010) :