

NAT6 Antibody (Center) Blocking Peptide
Synthetic peptide
Catalog # BP18997c**Specification**

NAT6 Antibody (Center) Blocking Peptide - Product InformationPrimary Accession [Q93015](#)**NAT6 Antibody (Center) Blocking Peptide - Additional Information****Gene ID** 24142**Other Names**

N-acetyltransferase 6, 231-, Protein fusion-2, Protein fus-2, NAT6, FUS2

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

NAT6 Antibody (Center) Blocking Peptide - Protein Information**Name** NAA80 {ECO:0000303|PubMed:29581253, ECO:0000312|HGNC:HGNC:30252}**Function**

N-alpha-acetyltransferase that specifically mediates the acetylation of the acidic amino terminus of processed forms of beta- and gamma-actin (ACTB and ACTG, respectively) (PubMed:29581253, PubMed:30028079). N-terminal acetylation of processed beta- and gamma- actin regulates actin filament depolymerization and elongation (PubMed:29581253). In vivo, preferentially displays N-terminal acetyltransferase activity towards acid N-terminal sequences starting with Asp-Asp-Asp and Glu-Glu-Glu (PubMed:29581253, PubMed:30028079). In vitro, shows high activity towards Met-Asp-Glu-Leu and Met-Asp-Asp-Asp (PubMed:10644992, PubMed:29581307). May act as a tumor suppressor (PubMed:10644992).

Cellular Location

Cytoplasm, cytosol

Tissue Location

Strongly expressed in heart and skeletal muscle, followed by brain and pancreas, with weak expression in kidney, liver, and lung and no expression in placenta.

NAT6 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

NAT6 Antibody (Center) Blocking Peptide - Images**NAT6 Antibody (Center) Blocking Peptide - Background**

NAT6 seems to be involved in N-acetylation. Acts on peptides with a N-terminal Met followed by Asp/Glu/Asn. May act as a tumor suppressor.

NAT6 Antibody (Center) Blocking Peptide - References

Young, R.P., et al. Postgrad Med J 85(1008):515-524(2009) Muzny, D.M., et al. Nature 440(7088):1194-1198(2006) Duh, F.M., et al. Mol. Cell. Probes 18(1):39-44(2004) Shuttleworth, T.L., et al. J. Biol. Chem. 277(25):23008-23018(2002) Lerman, M.I., et al. Cancer Res. 60(21):6116-6133(2000)