

BMP8A Blocking Peptide (C-term)

Synthetic peptide Catalog # BP19760b

Specification

BMP8A Blocking Peptide (C-term) - Product Information

Primary Accession <u>Q7Z5Y6</u>
Other Accession <u>NP 861525.2</u>

BMP8A Blocking Peptide (C-term) - Additional Information

Gene ID 353500

Other Names

Bone morphogenetic protein 8A, BMP-8A, BMP8A

Target/Specificity

The synthetic peptide sequence is selected from aa 286-298 of HUMAN BMP8A

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

BMP8A Blocking Peptide (C-term) - Protein Information

Name BMP8A

Function

Induces cartilage and bone formation. May be the osteoinductive factor responsible for the phenomenon of epithelial osteogenesis. Plays a role in calcium regulation and bone homeostasis (By similarity). Signaling protein involved in regulation of thermogenesis and energy balance. Proposed to increase the peripheral response of brown adipose tissue (BAT) to adrenergic stimulation while acting centrally in the hypothalamus to increase sympathetic output to BAT.

Cellular Location

Secreted.

BMP8A Blocking Peptide (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.



Tel: 858.875.1900 Fax: 858.875.1999

• Blocking Peptides

BMP8A Blocking Peptide (C-term) - Images

BMP8A Blocking Peptide (C-term) - Background

Induces cartilage and bone formation. May be the osteoinductive factor responsible for the phenomenon of epithelial osteogenesis. Plays a role in calcium regulation and bone homeostasis (By similarity).

BMP8A Blocking Peptide (C-term) - References

Davila, S., et al. Genes Immun. 11(3):232-238(2010) Yokoyama, K., et al. Nephron Clin Pract 115 (4), C237-C243 (2010):