

### MKI67IP Blocking Peptide (C-term)

Synthetic peptide Catalog # BP19895b

### **Specification**

### MKI67IP Blocking Peptide (C-term) - Product Information

Primary Accession Q9BYG3
Other Accession NP\_115766.3

### MKI67IP Blocking Peptide (C-term) - Additional Information

**Gene ID 84365** 

#### **Other Names**

MKI67 FHA domain-interacting nucleolar phosphoprotein, Nucleolar phosphoprotein Nopp34, Nucleolar protein interacting with the FHA domain of pKI-67, hNIFK, NIFK, MKI67IP, NOPP34

#### **Target/Specificity**

The synthetic peptide sequence is selected from aa 247-260 of HUMAN NIFK

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

## MKI67IP Blocking Peptide (C-term) - Protein Information

**Name NIFK** 

Synonyms MKI67IP, NOPP34

### **Cellular Location**

Nucleus, nucleolus. Chromosome. Note=Localizes to mitotic chromosomes in conjunction with MKI67

### MKI67IP Blocking Peptide (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

### MKI67IP Blocking Peptide (C-term) - Images



## MKI67IP Blocking Peptide (C-term) - Background

This gene encodes a protein that interacts with the forkhead-associated domain of the Ki-67 antigen. The encoded protein may bind RNA and may play a role in mitosis and cell cycle progression. Multiple pseudogenes exist on chromosomes 5, 10, 12, 15, and 19.

# MKI67IP Blocking Peptide (C-term) - References

Byeon, I.J., et al. Nat. Struct. Mol. Biol. 12(11):987-993(2005) Li, H., et al. J. Mol. Biol. 335(1):371-381(2004) Takagi, M., et al. J. Biol. Chem. 276(27):25386-25391(2001)