

**TAF7L Blocking Peptide (N-term)**  
**Synthetic peptide**  
**Catalog # BP20359a****Specification**

---

**TAF7L Blocking Peptide (N-term) - Product Information**Primary Accession [Q5H9L4](#)**TAF7L Blocking Peptide (N-term) - Additional Information****Gene ID** 54457**Other Names**

Transcription initiation factor TFIID subunit 7-like, Cancer/testis antigen 40, CT40, RNA polymerase II TBP-associated factor subunit Q, TATA box-binding protein-associated factor 50 kDa, Transcription initiation factor TFIID 50 kDa subunit, TAF7L, TAF2Q

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**TAF7L Blocking Peptide (N-term) - Protein Information****Name** TAF7L**Synonyms** TAF2Q**Function**

Probably functions as a spermatogenesis-specific component of the DNA-binding general transcription factor complex TFIID, a multimeric protein complex that plays a central role in mediating promoter responses to various activators and repressors. May play a role in spermatogenesis (By similarity).

**Cellular Location**

Nucleus. Cytoplasm. Note=Cytoplasmic in spermatogonia and early spermatocytes (preleptotene, leptotene, and zygotene); translocates into the nuclei of pachytene spermatocytes and round spermatids.

**Tissue Location**

Testis-specific..

## **TAF7L Blocking Peptide (N-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

## **TAF7L Blocking Peptide (N-term) - Images**

## **TAF7L Blocking Peptide (N-term) - Background**

Probably functions as a spermatogenesis-specific component of the DNA-binding general transcription factor complex TFIID, a multimeric protein complex that plays a central role in mediating promoter responses to various activators and repressors. May play a role in spermatogenesis (By similarity).