

# **NRCAM Blocking Peptide (N-Term)**

Synthetic peptide Catalog # BP21986a

# **Specification**

# NRCAM Blocking Peptide (N-Term) - Product Information

Primary Accession <u>Q92823</u>

Other Accession Q810U4, P97686

# NRCAM Blocking Peptide (N-Term) - Additional Information

**Gene ID 4897** 

## **Other Names**

Neuronal cell adhesion molecule, Nr-CAM, Neuronal surface protein Bravo, hBravo, NgCAM-related cell adhesion molecule, Ng-CAM-related, NRCAM, KIAA0343

## **Target/Specificity**

The synthetic peptide sequence is selected from aa 50-62 of HUMAN NRCAM

# **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

# NRCAM Blocking Peptide (N-Term) - Protein Information

**Name NRCAM** 

Synonyms KIAA0343

# **Function**

Cell adhesion protein that is required for normal responses to cell-cell contacts in brain and in the peripheral nervous system. Plays a role in neurite outgrowth in response to contactin binding. Plays a role in mediating cell-cell contacts between Schwann cells and axons. Plays a role in the formation and maintenance of the nodes of Ranvier on myelinated axons. Nodes of Ranvier contain clustered sodium channels that are crucial for the saltatory propagation of action potentials along myelinated axons. During development, nodes of Ranvier are formed by the fusion of two heminodes. Required for normal clustering of sodium channels at heminodes; not required for the formation of mature nodes with normal sodium channel clusters. Required, together with GLDN, for maintaining NFASC and sodium channel clusters at mature nodes of Ranvier.



# **Cellular Location**

Cell membrane {ECO:0000250|UniProtKB:Q810U4}; Single-pass type I membrane protein {ECO:0000250|UniProtKB:Q810U4} Cell projection, axon {ECO:0000250|UniProtKB:Q810U4}. Secreted {ECO:0000250|UniProtKB:Q810U4}. Note=Detected at nodes of Ranvier {ECO:0000250|UniProtKB:Q810U4}

#### **Tissue Location**

Detected in all the examined tissues. In the brain it was detected in the amygdala, caudate nucleus, corpus callosum, hippocampus, hypothalamus, substantia nigra, subthalamic nucleus and thalamus.

# NRCAM Blocking Peptide (N-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

NRCAM Blocking Peptide (N-Term) - Images

# NRCAM Blocking Peptide (N-Term) - Background

Cell adhesion, ankyrin-binding protein involved in neuron-neuron adhesion. May play a role in the molecular assembly of the nodes of Ranvier (By similarity).

# NRCAM Blocking Peptide (N-Term) - References

Lane R.P.,et al.Genomics 35:456-465(1996). Dry K.,et al.Gene 273:115-122(2001). Nagase T.,et al.DNA Res. 4:141-150(1997). Bechtel S.,et al.BMC Genomics 8:399-399(2007). Hillier L.W.,et al.Nature 424:157-164(2003).