

### Vimentin Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP2739b

#### **Specification**

### Vimentin Antibody (C-term) Blocking Peptide - Product Information

**Primary Accession** 

P08670

# Vimentin Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 7431** 

#### **Other Names**

Vimentin, VIM

### Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/products/AP2739b>AP2739b</a> was selected from the C-term region of human Vimentin. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### Vimentin Antibody (C-term) Blocking Peptide - Protein Information

## Name VIM

#### **Function**

Vimentins are class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells. Vimentin is attached to the nucleus, endoplasmic reticulum, and mitochondria, either laterally or terminally.

#### **Cellular Location**

Cytoplasm. Cytoplasm, cytoskeleton. Nucleus matrix {ECO:0000250|UniProtKB:P31000}. Cell membrane {ECO:0000250|UniProtKB:P20152}

# **Tissue Location**

Highly expressed in fibroblasts, some expression in T- and B-lymphocytes, and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.



# Vimentin Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

# • Blocking Peptides

Vimentin Antibody (C-term) Blocking Peptide - Images

# Vimentin Antibody (C-term) Blocking Peptide - Background

Along with the microfilaments (actins) and microtubules (tubulins), the intermediate filaments represent a third class of well-characterized cytoskeletal elements. The subunits display a tissue-specific pattern of expression. Desmin is the subunit specific for muscle and vimentin the subunit specific for mesenchymal tissue.

#### Vimentin Antibody (C-term) Blocking Peptide - References

Whipple,R.A.,Cancer Res. 68 (14), 5678-5688 (2008)Garcia-Verdugo,I.,Biochemistry 47 (18), 5127-5138 (2008)Merdes,A., J. Cell Biol. 115 (2), 397-410 (1991)