

## ABCB8 Antibody (N-term) Blocking Peptide

Synthetic peptide Catalog # BP6129a

## **Specification**

## ABCB8 Antibody (N-term) Blocking Peptide - Product Information

**Primary Accession** 

Q9NUT2

# ABCB8 Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID** 11194

#### **Other Names**

ATP-binding cassette sub-family B member 8, mitochondrial, Mitochondrial ATP-binding cassette 1, M-ABC1, ABCB8, MABC1

### **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a

href=/products/AP6129a>AP6129a</a> was selected from the N-term region of human ABCB8. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### ABCB8 Antibody (N-term) Blocking Peptide - Protein Information

Name ABCB8 {ECO:0000303|PubMed:25944712, ECO:0000312|HGNC:HGNC:49}

### **Function**

ATP-binding subunit of the mitochondrial potassium channel located in the mitochondrial inner membrane (PubMed:<a href="http://www.uniprot.org/citations/31435016" http://www.uniprot.org/citations/31435016" http://www.uniprot.org/citations/31435016"

target="\_blank">31435016</a>). Together with CCDC51/MITOK, forms a protein complex localized in the mitochondria that mediates ATP-dependent potassium currents across the inner membrane (that is, mitoK(ATP) channel) (PubMed:<a

href="http://www.uniprot.org/citations/31435016" target="\_blank">31435016</a>). Plays a role in mitochondrial iron transport (PubMed:<a href="http://www.uniprot.org/citations/30623799" target="\_blank">30623799</a>). Required for maintenance of normal cardiac function, possibly by influencing mitochondrial iron export and regulating the maturation of cytosolic iron sulfur cluster-containing enzymes (By similarity).



**Cellular Location** 

Mitochondrion inner membrane; Multi-pass membrane protein {ECO:0000255|PROSITE-ProRule:PRU00441}

Tissue Location Ubiquitous.

# ABCB8 Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

• Blocking Peptides

**ABCB8 Antibody (N-term) Blocking Peptide - Images** 

ABCB8 Antibody (N-term) Blocking Peptide - Background

ABCB8 is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC proteins are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. The function of this half-transporter has not yet been determined; however, it may involve the compartmentalization and transport of heme, as well as peptides, from the mitochondria to the nucleus and cytosol. The protein may also play a role in the transport of phospholipids into mitochondrial membranes.

### ABCB8 Antibody (N-term) Blocking Peptide - References

Saito S., Iida A., Sekine A.J. Hum. Genet. 47:38-50(2002)