

## SEPSH1 Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP7187b

### **Specification**

## SEPSH1 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession P49903

# SEPSH1 Antibody (C-term) Blocking Peptide - Additional Information

**Gene ID 22929** 

#### **Other Names**

Selenide, water dikinase 1, Selenium donor protein 1, Selenophosphate synthase 1, SEPHS1, SELD, SPS, SPS1

## **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a href=/product/products/AP7187b>AP7187b</a> was selected from the C-term region of human SEPSH1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### SEPSH1 Antibody (C-term) Blocking Peptide - Protein Information

#### Name SEPHS1

Synonyms SELD, SPS, SPS1

### **Function**

Synthesizes selenophosphate from selenide and ATP.

#### **Cellular Location**

[Isoform 1]: Cell membrane; Peripheral membrane protein. Nucleus membrane; Peripheral membrane protein [Isoform 3]: Cytoplasm

### **Tissue Location**

[Isoform 1]: Gradually expressed during the cell cycle until G2/M phase and then decreases [Isoform 3]: Gradually expressed during the cell cycle until S phase and then decreases.



## SEPSH1 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

SEPSH1 Antibody (C-term) Blocking Peptide - Images

## SEPSH1 Antibody (C-term) Blocking Peptide - Background

This protein encodes an enzyme that synthesizes selenophosphate from selenide and ATP. Selenophosphate is the selenium donor used to synthesize selenocysteine, which is co-translationally incorporated into selenoproteins at in-frame UGA codons.

## SEPSH1 Antibody (C-term) Blocking Peptide - References

Tamura, T., et al., Proc. Natl. Acad. Sci. U.S.A. 101(46):16162-16167 (2004).Low, S.C., et al., J. Biol. Chem. 270(37):21659-21664 (1995).