

Rictor Antibody (N-term) Blocking Peptide
Synthetic peptide
Catalog # BP7259a**Specification**

Rictor Antibody (N-term) Blocking Peptide - Product InformationPrimary Accession [Q6R327](#)**Rictor Antibody (N-term) Blocking Peptide - Additional Information****Gene ID** 253260**Other Names**Rapamycin-insensitive companion of mTOR, AVO3 homolog, hAVO3, RICTOR
{ECO:0000312|EMBL:EAW559801}**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP7259a](/product/products/AP7259a) was selected from the N-term region of human Rictor. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

Rictor Antibody (N-term) Blocking Peptide - Protein Information**Name** RICTOR ([HGNC:28611](#))**Function**

Subunit of mTORC2, which regulates cell growth and survival in response to hormonal signals. mTORC2 is activated by growth factors, but, in contrast to mTORC1, seems to be nutrient-insensitive. mTORC2 seems to function upstream of Rho GTPases to regulate the actin cytoskeleton, probably by activating one or more Rho-type guanine nucleotide exchange factors. mTORC2 promotes the serum-induced formation of stress-fibers or F-actin. mTORC2 plays a critical role in AKT1 'Ser-473' phosphorylation, which may facilitate the phosphorylation of the activation loop of AKT1 on 'Thr-308' by PDK1 which is a prerequisite for full activation. mTORC2 regulates the phosphorylation of SGK1 at 'Ser-422'. mTORC2 also modulates the phosphorylation of PRKCA on 'Ser-657'. Plays an essential role in embryonic growth and development.

Rictor Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

Rictor Antibody (N-term) Blocking Peptide - Images

Rictor Antibody (N-term) Blocking Peptide - Background

RICTOR and MTOR (FRAP1) are components of a protein complex that integrates nutrient- and growth factor-derived signals to regulate cell growth.

Rictor Antibody (N-term) Blocking Peptide - References

Pearce, L.R., Biochem. J. 405 (3), 513-522 (2007) Yang, Q., Genes Dev. 20 (20), 2820-2832 (2006) Jacinto, E., Cell 127 (1), 125-137 (2006)