

# GPT Antibody (N-term R133) Blocking Peptide

Synthetic peptide Catalog # BP7468b

### **Specification**

### GPT Antibody (N-term R133) Blocking Peptide - Product Information

**Primary Accession** 

P24298

# GPT Antibody (N-term R133) Blocking Peptide - Additional Information

**Gene ID 2875** 

#### **Other Names**

Alanine aminotransferase 1, ALT1, Glutamate pyruvate transaminase 1, GPT 1, Glutamic--alanine transaminase 1, Glutamic--pyruvic transaminase 1, GPT, AAT1, GPT1

### **Target/Specificity**

The synthetic peptide sequence used to generate the antibody <a

href=/products/AP7468b>AP7468b</a> was selected from the N-term region of human GPT. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

#### GPT Antibody (N-term R133) Blocking Peptide - Protein Information

Name GPT

Synonyms AAT1, GPT1

### **Function**

Catalyzes the reversible transamination between alanine and 2-oxoglutarate to form pyruvate and glutamate. Participates in cellular nitrogen metabolism and also in liver gluconeogenesis starting with precursors transported from skeletal muscles (By similarity).

### **Cellular Location**

Cytoplasm.

#### **Tissue Location**

Liver, kidney, heart, and skeletal muscles. Expressed at moderate levels in the adipose tissue



## GPT Antibody (N-term R133) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

# • Blocking Peptides

GPT Antibody (N-term R133) Blocking Peptide - Images

### GPT Antibody (N-term R133) Blocking Peptide - Background

GPT(Glutamate-pyruvate transaminase), also known as alanine aminotransferase, catalyzes the reversible conversion of L-alanine and alpha-ketoglutarate to L-glutamate and pyruvate. This protein has 2 distinct molecular and genetic forms: one cytoplasmic (soluble) (GPT1) and one mitochondrial (GPT2). See ALTQTL1 and ALTQTL2 for information on quantitative trait loci influencing the plasma level of alanine aminotransferase.

## GPT Antibody (N-term R133) Blocking Peptide - References

Yang R.-Z., Blaileanu G.Genomics 79:445-450(2002)Ishiguro M., Takio K.Biochemistry 30:10451-10457(1991)