

IGFBP3 Antibody (S183) Blocking Peptide
Synthetic peptide
Catalog # BP7641d**Specification**

IGFBP3 Antibody (S183) Blocking Peptide - Product InformationPrimary Accession [P17936](#)**IGFBP3 Antibody (S183) Blocking Peptide - Additional Information****Gene ID** 3486**Other Names**

Insulin-like growth factor-binding protein 3, IBP-3, IGF-binding protein 3, IGFBP-3, IGFBP3, IBP3

Target/Specificity

The synthetic peptide sequence used to generate the antibody [AP7641d](#) was selected from the S183 region of human IGFBP3. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

IGFBP3 Antibody (S183) Blocking Peptide - Protein Information**Name** IGFBP3**Synonyms** IBP3**Function**

Multifunctional protein that plays a critical role in regulating the availability of IGFs such as IGF1 and IGF2 to their receptors and thereby regulates IGF-mediated cellular processes including proliferation, differentiation, and apoptosis in a cell-type specific manner (PubMed:[10874028](http://www.uniprot.org/citations/10874028), PubMed:[19556345](http://www.uniprot.org/citations/19556345)). Also exhibits IGF- independent antiproliferative and apoptotic effects mediated by its receptor TMEM219/IGFBP-3R (PubMed:[20353938](http://www.uniprot.org/citations/20353938)). Inhibits the positive effect of humanin on insulin sensitivity (PubMed:[19623253](http://www.uniprot.org/citations/19623253)). Promotes testicular germ cell apoptosis (PubMed:[19952275](http://www.uniprot.org/citations/19952275)). Acts via LRP-

1/alpha2M receptor, also known as TGF-beta type V receptor, to mediate cell growth inhibition independent of IGF1 (PubMed:9252371). Mechanistically, induces serine-specific dephosphorylation of IRS1 or IRS2 upon ligation to its receptor, leading to the inhibitory cascade (PubMed:15371331). In the nucleus, interacts with transcription factors such as retinoid X receptor-alpha/RXRA to regulate transcriptional signaling and apoptosis (PubMed:10874028).

Cellular Location

Secreted. Nucleus

Tissue Location

Expressed by most tissues. Present in plasma.

IGFBP3 Antibody (S183) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

IGFBP3 Antibody (S183) Blocking Peptide - Images**IGFBP3 Antibody (S183) Blocking Peptide - Background**

IGFBP3 is a member of the insulin-like growth factor binding protein (IGFBP) family with an IGFBP domain and a thyroglobulin type-I domain. This protein forms a ternary complex with insulin-like growth factor acid-labile subunit (IGFALS) and either insulin-like growth factor (IGF) I or II. In this form, it circulates in the plasma, prolonging the half-life of IGFs and altering their interaction with cell surface receptors.

IGFBP3 Antibody (S183) Blocking Peptide - References

Muzumdar,R.H., Diabetes 55 (10), 2788-2796 (2006)Novosyadlyy,R., Growth Horm. IGF Res. 15 (5), 313-323 (2005)