

**YWHAB Antibody (C-term) Blocking peptide**  
**Synthetic peptide**  
**Catalog # BP8155b****Specification**

---

**YWHAB Antibody (C-term) Blocking peptide - Product Information**Primary Accession [P31946](#)**YWHAB Antibody (C-term) Blocking peptide - Additional Information****Gene ID** 7529**Other Names**

14-3-3 protein beta/alpha, Protein 1054, Protein kinase C inhibitor protein 1, KCIP-1, 14-3-3 protein beta/alpha, N-terminally processed, YWHAB

**Target/Specificity**

The synthetic peptide sequence used to generate the antibody [AP8155b](/product/products/AP8155b) was selected from the 14-3-3 region of human YWHAB (14-3-3 protein beta/alpha) . A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

**Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

**Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

**Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

**YWHAB Antibody (C-term) Blocking peptide - Protein Information****Name** YWHAB**Function**

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways. Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of the activity of the binding partner. Negative regulator of osteogenesis. Blocks the nuclear translocation of the phosphorylated form (by AKT1) of SRPK2 and antagonizes its stimulatory effect on cyclin D1 expression resulting in blockage of neuronal apoptosis elicited by SRPK2. Negative regulator of signaling cascades that mediate activation of MAP kinases via AKAP13.

**Cellular Location**

Cytoplasm. Melanosome. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV

### **YWHAB Antibody (C-term) Blocking peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Blocking Peptides](#)

### **YWHAB Antibody (C-term) Blocking peptide - Images**

### **YWHAB Antibody (C-term) Blocking peptide - Background**

YWHAB belongs to the 14-3-3 family of proteins, members of which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals. The encoded protein has been shown to interact with RAF1 and CDC25 phosphatases, suggesting that it may play a role in linking mitogenic signaling and the cell cycle machinery. Two transcript variants differing in the 5' UTR, but encoding the same protein, have been identified for the gene. Both variants encode the same protein, however, they are differentially expressed in hematopoietic cells.

### **YWHAB Antibody (C-term) Blocking peptide - References**

Komori, T., et al., Acta Neuropathol. 106(1):66-70 (2003).Cavet, M.E., et al., J. Biol. Chem. 278(20):18376-18383 (2003).Li, Y., et al., J. Biol. Chem. 278(16):13663-13671 (2003).Shumway, S.D., et al., J. Biol. Chem. 278(4):2089-2092 (2003).Parvaresh, S., et al., FEBS Lett. 532(3):357-362 (2002).