

# **ADHFE1 Antibody (Center) Blocking Peptide**

Synthetic peptide Catalog # BP9062c

# **Specification**

# **ADHFE1 Antibody (Center) Blocking Peptide - Product Information**

**Primary Accession** 

**08IWW8** 

# ADHFE1 Antibody (Center) Blocking Peptide - Additional Information

**Gene ID 137872** 

#### **Other Names**

Hydroxyacid-oxoacid transhydrogenase, mitochondrial, HOT, Alcohol dehydrogenase iron-containing protein 1, ADHFe1, Fe-containing alcohol dehydrogenase, ADHFE1

# Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/products/AP9062c>AP9062c</a> was selected from the Center region of human ADHFE1. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### ADHFE1 Antibody (Center) Blocking Peptide - Protein Information

### Name ADHFE1

### **Function**

Catalyzes the cofactor-independent reversible oxidation of gamma-hydroxybutyrate (GHB) to succinic semialdehyde (SSA) coupled to reduction of 2-ketoglutarate (2-KG) to D-2-hydroxyglutarate (D-2-HG). D,L-3-hydroxyisobutyrate and L-3-hydroxybutyrate (L-3-OHB) are also substrates for HOT with 10-fold lower activities.

### **Cellular Location**

Mitochondrion.

### **Tissue Location**

Only expressed in adult liver.



# **ADHFE1 Antibody (Center) Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

# • Blocking Peptides

**ADHFE1 Antibody (Center) Blocking Peptide - Images** 

# ADHFE1 Antibody (Center) Blocking Peptide - Background

The ADHFE1 protein encodes hydroxyacid-oxoacid transhydrogenase (EC 1.1.99.24), which is responsible for the oxidation of 4-hydroxybutyrate in mammalian tissues.

## **ADHFE1 Antibody (Center) Blocking Peptide - References**

Lyon,R.C., et.al., Chem. Biol. Interact. 178 (1-3), 283-287 (2009)Kardon,T., et.al., FEBS Lett. 580 (9), 2347-2350 (2006)