

### C7 Antibody (Center) Blocking Peptide

Synthetic peptide Catalog # BP9262c

#### **Specification**

### C7 Antibody (Center) Blocking Peptide - Product Information

Primary Accession

P10643

## C7 Antibody (Center) Blocking Peptide - Additional Information

Gene ID 730

#### **Other Names**

Complement component C7, C7

#### Target/Specificity

The synthetic peptide sequence used to generate the antibody <a href=/products/AP9262c>AP9262c</a> was selected from the Center region of human C7. A 10 to 100 fold molar excess to antibody is recommended. Precise conditions should be optimized for a particular assay.

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

#### Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### C7 Antibody (Center) Blocking Peptide - Protein Information

### Name C7

#### **Function**

Constituent of the membrane attack complex (MAC) that plays a key role in the innate and adaptive immune response by forming pores in the plasma membrane of target cells. C7 serves as a membrane anchor.

#### **Cellular Location**

Secreted.

### C7 Antibody (Center) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.





### • Blocking Peptides

### C7 Antibody (Center) Blocking Peptide - Images

# C7 Antibody (Center) Blocking Peptide - Background

C7 is a component of the complement system. It participates in the formation of Membrane Attack Complex (MAC). People with C7 deficiency are prone to bacterial infection.

# C7 Antibody (Center) Blocking Peptide - References

Davila, S., et.al., Genes Immun. 11 (3), 232-238 (2010) Kuijpers, T.W., et.al., Mol. Immunol. 47 (4), 671-677 (2010)Wheeler, H.E., et.al., PLoS Genet. 5 (10), E1000685 (2009)