

WDR75 Antibody (C-term) Blocking Peptide

Synthetic peptide Catalog # BP9369b

Specification

WDR75 Antibody (C-term) Blocking Peptide - Product Information

Primary Accession

08IWA0

WDR75 Antibody (C-term) Blocking Peptide - Additional Information

Gene ID 84128

Other Names

WD repeat-containing protein 75, WDR75, UTP17

Format

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

Storage

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

Precautions

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

WDR75 Antibody (C-term) Blocking Peptide - Protein Information

Name WDR75 (<u>HGNC:25725</u>)

Synonyms UTP17

Function

Ribosome biogenesis factor. Part of the small subunit (SSU) processome, first precursor of the small eukaryotic ribosomal subunit. During the assembly of the SSU processome in the nucleolus, many ribosome biogenesis factors, an RNA chaperone and ribosomal proteins associate with the nascent pre-rRNA and work in concert to generate RNA folding, modifications, rearrangements and cleavage as well as targeted degradation of pre-ribosomal RNA by the RNA exosome. Involved in nucleolar processing of pre-18S ribosomal RNA. Required for optimal pre-ribosomal RNA transcription by RNA polymerase I.

Cellular Location Nucleus, nucleolus

WDR75 Antibody (C-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.





161. 000.070. 1900 Fax. 000.070. 1999

• Blocking Peptides

WDR75 Antibody (C-term) Blocking Peptide - Images

WDR75 Antibody (C-term) Blocking Peptide - References

Olsen, J.V. Cell 127 (3), 635-648 (2006) Nousiainen, M. Proc. Natl. Acad. Sci. U.S.A. 103 (14), 5391-5396 (2006) Hillier, L.W. Nature 434 (7034), 724-731 (2005)