

## **GNPDA2 Antibody (N-term) Blocking Peptide**

Synthetic peptide Catalog # BP9711a

### **Specification**

## **GNPDA2** Antibody (N-term) Blocking Peptide - Product Information

**Primary Accession** 

**08TD07** 

# GNPDA2 Antibody (N-term) Blocking Peptide - Additional Information

**Gene ID 132789** 

#### **Other Names**

Glucosamine-6-phosphate isomerase 2, Glucosamine-6-phosphate deaminase 2, GNPDA 2, GlcN6P deaminase 2, Glucosamine-6-phosphate isomerase SB52, GNPDA2, GNP2

#### **Format**

Peptides are lyophilized in a solid powder format. Peptides can be reconstituted in solution using the appropriate buffer as needed.

### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C.

#### **Precautions**

This product is for research use only. Not for use in diagnostic or therapeutic procedures.

### **GNPDA2** Antibody (N-term) Blocking Peptide - Protein Information

Name GNPDA2 {ECO:0000303|PubMed:26887390}

Synonyms GNP2

#### **Function**

Catalyzes the reversible conversion of alpha-D-glucosamine 6- phosphate (GlcN-6P) into beta-D-fructose 6-phosphate (Fru-6P) and ammonium ion, a regulatory reaction step in de novo uridine diphosphate-N-acetyl-alpha-D-glucosamine (UDP-GlcNAc) biosynthesis via hexosamine pathway. Deamination is coupled to aldo-keto isomerization mediating the metabolic flux from UDP-GlcNAc toward Fru-6P. At high ammonium level can drive amination and isomerization of Fru-6P toward hexosamines and UDP-GlcNAc synthesis. Has a role in fine tuning the metabolic fluctuations of cytosolic UDP-GlcNAc and their effects on hyaluronan synthesis that occur during tissue remodeling.

#### **Cellular Location**

Cytoplasm.

#### **Tissue Location**

Ubiquitous, with highest expression detected in testis, ovary, placenta, and heart.



# **GNPDA2** Antibody (N-term) Blocking Peptide - Protocols

Provided below are standard protocols that you may find useful for product applications.

## • Blocking Peptides

**GNPDA2** Antibody (N-term) Blocking Peptide - Images

### GNPDA2 Antibody (N-term) Blocking Peptide - Background

Glucosamine-6-phosphate deaminase (EC 3.5.99.6) is an allosteric enzyme that catalyzes the reversible conversion of D-glucosamine-6-phosphate into D-fructose-6-phosphate and ammonium (Arreola et al., 2003 [PubMed 12965206]).

# GNPDA2 Antibody (N-term) Blocking Peptide - References

He, M., et al. Arterioscler. Thromb. Vasc. Biol. 30(2):327-332(2010)Li, S., et al. Am. J. Clin. Nutr. 91(1):184-190(2010)Hotta, K., et al. J. Hum. Genet. 54(12):727-731(2009)