

# **Recombinant Murine Flt3-Ligand**

Catalog # PBG10115

# **Specification**

# **Recombinant Murine Flt3-Ligand - Product Information**

# **Recombinant Murine Flt3-Ligand - Additional Information**

### **Description**

Flt3-Ligand is a growth factor that regulates proliferation of early hematopoietic cells. Flt3-Ligand binds to cells expressing the tyrosine kinase receptor Flt3. Flt3-Ligand, by itself does not stimulate proliferation of early hematopoietic cells, but synergizes with other CSFs and interleukins to induce growth and differentiation. Unlike SCF, Flt3-Ligand has no activity on mast cells. Multiple isoforms of Flt3-Ligand have been identified. The predominant biologically active form is anchored to the cell surface as the extracellular domain of a transmembrane protein (209 a.a.). The membrane-bound isoform can be proteolytically cleaved to generate a biologically active soluble isoform. Recombinant murine Flt3-Ligand is a soluble 18.6 kDa protein consisting of 163 amino acid residues.

### **Biological**Activity

Determined by the dose-dependent stimulation of the proliferation of human AML5 cells. The expected <strong>ED</strong><sub>50</sub> for this effect is 5.0 - 8.0 ng/ml.

#### **Authenticity**

Verified by N-terminal and Mass Spectrometry analyses (when applicable).

### **Endotoxin**

Endotoxin level is  $<0.1 \text{ ng}/\mu\text{g}$  of protein ( $<1\text{EU}/\mu\text{g}$ ).

### **Protein Content**

Verified by UV Spectroscopy and/or SDS-PAGE gel.

### Storage

-20°C

# **Precautions**

Recombinant Murine Flt3-Ligand is for research use only and not for use in diagnostic or therapeutic procedures.

# **Recombinant Murine Flt3-Ligand - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence





• <u>Immunoprecipitation</u>

- Flow CytometyCell Culture

**Recombinant Murine Flt3-Ligand - Images**