

C-10, murine recombinant protein

Small inducible cytokine, A6, CCL6, C10 protein, c10, MRP-1, Scya6, chemokine (C-C motif) ligand 6,
Catalog # PBV10041r

Specification

C-10, murine recombinant protein - Product info

Primary Accession [P27784](#)
Calculated MW **10.7 kDa KDa**

C-10, murine recombinant protein - Additional Info

Gene ID	20305
Gene Symbol	CCL6
Other Names	
Small inducible cytokine, A6, CCL6, C10 protein, c10, MRP-1, Scya6, chemokine (C-C motif) ligand 6,	
Gene Source	Mouse
Source	E. coli
Assay&Purity	SDS-PAGE; ≥97%
Assay2&Purity2	HPLC; ≥97%
Recombinant	Yes
Results	Confirmed
Target/Specificity	
C-10	

Application Notes

Reconstitute in H₂O to a concentration of 1 mg/ml. The solution can be diluted into other aqueous buffers.

Format

Lyophilized protein

Storage

-20°C; Sterile filtered and lyophilized with no additives

C-10, murine recombinant protein - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

C-10, murine recombinant protein - Images

C-10, murine recombinant protein - Background

Murine C-10 is a member of the C-C chemokine family of proteins related to macrophage inflammatory protein-1 α (MIP-1 α). The recombinant murine C-10 is a 10.7 kDa protein containing 95 amino acid residues.

C-10, murine recombinant protein - References

Orlofsky A., et al. Cell Regul. 2:403-412(1991).
Teuscher C., et al. J. Immunol. 163:2262-2266(1999).
Nomiya H., et al. Submitted (NOV-2000) to the EMBL/GenBank/DDBJ databases.
Carninci P., et al. Science 309:1559-1563(2005).
Church D.M., et al. PLoS Biol. 7:E1000112-E1000112(2009).