

EZH2 Blocking Peptide
Catalog # PBV10097b**Specification**

EZH2 Blocking Peptide - Product Information

Primary Accession [B5DFE2](#)
Gene ID **312299**

EZH2 Blocking Peptide - Additional Information

Application & Usage **The peptide is used for blocking the antibody activity of EZH2. It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.**

Target/Specificity
Ezh2

Formulation
50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 50% glycerol, 1% BSA and 0.02% thimerosal.

Reconstitution & Storage
-20 °C

Background Descriptions

Precautions
EZH2 Blocking Peptide is for research use only and not for use in diagnostic or therapeutic procedures.

EZH2 Blocking Peptide - Protein Information**EZH2 Blocking Peptide - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)

- [Cell Culture](#)

EZH2 Blocking Peptide - Images