

HCC-1, human recombinant protein
Hemofiltrate CC Chemokine-1, CCL14, HCC-1/HCC-3, NCC-2
Catalog # PBV10099r**Specification**

HCC-1, human recombinant protein - Product info

Primary Accession [Q16627](#)
Calculated MW **8.4 kDa** KDa

HCC-1, human recombinant protein - Additional Info

Gene ID **6358**
Gene Symbol **CCL14**
Other Names
Hemofiltrate CC Chemokine-1, CCL14, HCC-1/HCC-3, NCC-2, Cytokine-induced protein of 29 kDa,
Nuclear protein Hcc-1, Proliferation-associated cytokine-inducible protein CIP29

Gene Source **Human**
Source **E. coli**
Assay&Purity **SDS-PAGE; ≥99%**
Assay2&Purity2 **HPLC; ≥99%**
Recombinant **Yes**
Results **500 ng/ml.**
Target/Specificity
HCC-1

Application Notes

Reconstitute in H₂O to a concentration of 1 µg/ µl. The solution can be diluted into other buffered solutions or stored at -20°C for future use.

Format

Lyophilized protein

Storage

-20°C; Lyophilized with no additives.

HCC-1, human recombinant protein - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HCC-1, human recombinant protein - Images**HCC-1, human recombinant protein - Background**

Human HerpatoCellular Carcinoma (HCC-1) was first isolated from the hemofiltrate of patients with chronic renal failure. HCC-1 has a 46% amino acid sequence identity with MIP-1 α /MIP-1 β and 29%-37% homology with other CC chemokines. The human HCC-1 is an 8.4 kDa protein containing 72 amino acid residues.